Record Display Form Page 1 of 1

eRed Folder : Add View

First Hit Previous Doc Next Doc Go to Doc#

End of Result Set

Generate Collection Print

L5: Entry 1 of 1 File: DWPI Mar 13, 1990

DERWENT-ACC-NO: 1990-121043 DERWENT-WEEK: 199016

COPYRIGHT 2008 DERWENT INFORMATION LTD

Basic Abstract Text (1):

Lignin peroxidase FL generates veratryl aldehyde by oxidising veratryl alcohol under hydrogen peroxide, decomposes diallyl propane by oxidn. under hydrogen peroxide, decomposes dimer cpd. of lignin such as diallyl propane or veratryl glycerol-betaguaiacyl ether by oxidn., has isoelectric pt. at 4.8 and mol.wt. of 42000. It is haem-contg. enzyme having max. absorptivity at 407nm, inhibited slightly be FSO4 and CuSO4 and inhibited strongly by EDTA, KCN, hydroxyl amine, thiourea or NaN3, Prodn. of lignin peroxidase FL comprises (1) culturing lignin peroxidase FL generative microbe belonging to Phanerocaete and (2) extracting lignin perioxidase FL from culture prod.

Basic Abstract Text (2):

 $\begin{tabular}{ll} USE/ADVANTAGE - Lignin peroxidase FL is used for pulping, bleaching of pulp or waste water treatment in prodn. of paper and pulp. It is activated by manganese ion. $(8pp Dug.No.0/6) \\ \end{tabular}$

Previous Doc Next Doc Go to Doc#